

IPC98544EFW-X42-X25-W-VH


IPC98544EFW-X42-X25-W-VH



Features

- Supports single IP triple-channel, simultaneously preview dual panoramic and detailed live views, balances panoramic monitoring and detailed capturing; independent capturing on all three channels, meets the need for multi-purpose usage in a single device
- Supports triple-channel wiper, ensuring image clarity at all times
- Three-camera high-zoom field of view, 25x panoramic coverage, 40x detail capturing, seamless target tracking with no blind spots, and comprehensive control of scene information
- Supports picture-in-picture and four-split-screen display modes, freely arranges panoramic and detailed live views, and provides easier access to target details
- Supports gyroscope optical image stabilization, effectively reduces screen shake, ensuring stable and clear images
- Supports intelligent infrared technology that adjusts infrared brightness in real time according to image brightness, preventing overexposure in close-up scenes
- Optical fog penetration, the camera can automatically adjust fog penetration levels based on the severity of fog or haze
- The device supports GPS, enabling automatic collection of longitude and latitude information and eliminating the need for manual camera position calibration
- The device is equipped with a high-precision encoder capable of achieving 0.04° accuracy, ensuring smooth camera stabilizer movement and supporting automatic correction

Dimensions



Accessories

TR-WE45-S-IN	TR-CE45-S-IN	TR-UP08M-A-IN
Tiangong Integrated Machine Wall Mount Bracket	Tiangong Integrated Machine Pendant Mounting Bracket	Tiangong Integrated Machine Pole Mounting Bracket

Unlimited New View

Zhejiang Uniview Technologies Co., Ltd.



<http://www.uniview.com>



overseasbusiness@uniview.com; globalsupport@uniview.com



No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China



©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.