

DXU204 Quad-Core 4-Bay NAS Network Storage Server

-EN-20240410


DXU204



Overview

DXU204DXU204 is an enterprise-grade, high-performance 4-HDD NAS network storage server for private cloud. It is equipped with Intel quad-core processor, dual M.2 SSD interfaces, and dual GbE interfaces to provide high-speed access performance and faster transmission experience. The product offers an efficient and reliable solution to massive data storage, file sharing, data protection, and remote autonomous access, making a perfect choice for small and medium-sized enterprises and individual users.

Dimensions



Specifications

Model	DXU204
BOM	
BOM	0235C8RB
Module	
OS	Embedded Linux
CPU	Intel quad-core X86_64 processor
RAM	4GB DDR4, dual SO-DIMM slots, expandable to 32GB
HDD	4 * SATA3.0 slots, compatible with 3.5-inch or 2.5-inch SATA HDD/SSD
Network interface	2*GE, 1*PCIe 3.0 for expansion to 10Gigabit network
HDMI	1*HDMI 2.0, resolution up to 4096 x 2160@60Hz
USB	2*USB3.0
M.2 HDD slot	2 (NVMe), with one slot supporting SATA3.0
EMMC	4GB (standard)
Dimensions	226mm (L) × 246mm (W) × 186mm (H)
Weight	3.6 kg (without HDD)
Power consumption	33W (with HDD fully configured)
Noise	Room temperature 25°C≤31dB(A)

	Within the environment's highest specified limit $\leq 39.4\text{dB(A)}$ (low power operation mode)
Operating temperature	0°C to +45°C
Storage temperature	-20°C to +70°C
Storage humidity	5% to 95% (non-condensing)
Operating humidity	5% to 95% (non-condensing)
Function	
Access protocol	Supports Onvif cameras
Performance	
Video storage performance	64*2Mbps
聚合 BOM	
聚合 BOM	

Ordering Info

Product Model	Description
DXU204	4 Hard Disk Desktop NAS(4GB)

Unlimited New View

Zhejiang Uniview Technologies Co., Ltd.

 <http://www.uniview.com>

 overseasbusiness@uniview.com; globalsupport@uniview.com

 No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China



©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.