

4MP+4MP LightHunter Dual-lens Network PTZ Camera

IPC94144SFW-X25-F40C





Features


- Fixed camera and PTZ camera integration, dual channels with one IP, look at overall situation and consider details at the same time
- Ultra 265, H.265, H.264, MJPEG
- 25X optical zoom of PTZ channel allows for closer viewing of subjects
- Smart intrusion prevention, support false alarm filtering, include Cross Line, Intrusion, Enter Area, Leave Area detection
- People Counting, support people flow counting and crowd density monitoring, suitable for different statistical scenarios
- PTZ channel can be linked to fixed channel's smart intrusion prevention to track the objects triggering the rule
- Support sound and light warning, makes warning and alarming more noticeable
- LightHunter technology ensures ultra-high image quality in low illumination environment
- IR & warm light illumination to deal with different scenes and achieve full-color illumination
- DC12V or PoE+(IEEE 802.3at) power supply
- Alarm 2 in and 1 out, Audio 1 in and 1 out

1

TR-SE45-IN



Dimensions



Accessories

TR-UF45-A-IN TR-SE45-A-IN

Dome Indoor Ceiling Mounting Pedes Dome Ceiling Mounting Pole 500 Dome Ceiling Mounting Pole 200 tal







TR-CE45-IN

Dome Indoor Ceiling Mounting Brack
et

TR-WE45-B-IN

TR-WE45-B-IN

TR-WE45-B-IN

Dome Gooseneck Bracket

Dome Junction Box

TR-WE45-B-IN

Dome Pole Mounting Bracket

TR-WE45-B-IN

Dome Fole Mounting Bracket

TR-UP08-B-IN

Aluminium Alloy Pole Mounting Brack

et



Dome Corner Mounting Bracket

TR-UC08-A-IN



TR-UC08-B-IN

Aluminium Alloy Corner Mounting Br



acket

Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

http://www.uniview.com

©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.