UNV

## 12MP Parking Space Detection & License Plate Recognition Fisheye Camera

### PKC17C0@6-C-LP



#### Features

- Features
- Optics
- Built-in 1.8mm fixed-focal lens and F2.0 aperture.
- Compression
- Supports main stream, sub stream, and third stream video output.
- Advanced H.265 encoding technology improves compression efficiency.
- Custom OSD allows various vehicle information to be overlaid on the video image.
- Smart
- Built-in intelligent vehicle algorithm.
- Supports motion detection, tampering detection, and alarm-triggered actions.
- Structure
- PoE (802.3at) power supply.
- 7-color indicator allows to configure idle, busy, and alarm scenarios.
- Built-in mic and speaker.
- IP67 protection.

### Specifications


Model	PKC17C0@6-C-LP	
Camera		
Sensor	1/1.7" 12MP CMOS	
Focal length	1.8mm	
Shutter	1/100000 to 1/25s	
Minimum illumination	0.03lux	
Lens type	Fixed-focal lens	
Iris	F2.0	
FOV	180°	
Image		
	Main stream: 3840*2160;	
Resolution	Sub stream: 3280*2464, 2000*2000; Third stream: 720*576 (D1), 352*288 (CIF)	
Frame rate	20, 18, 16, 15, 12, 10, 8, 6, 5, 4, 3, 2, 1	
Video compression	H.264 (default), H.265	
ROI	Support, up to 8 areas	
Video OSD	Supports custom OSD on live view and image	
Image OSD	Supports custom OSD on live view and image	
Privacy mask	Support, up to 4 areas	
Interface		
Network interface	1 x 1000M/100M/10M adaptive Ethernet copper port	
Serial port	1 xRS485	
Boolean output	1 x alarm output	
Boolean input	2 x alarm input	
Audio interface	1 x audio output, 1 x audio input	
Built-in mic	Support	
Built-in speaker	Support	
BNC	Support	
Service Config		

# UNV

### DATASHEET

Third-party server	Two photo servers via HTTP, VIID, and FTP protocols; MQTT server via MQTT protocol
Smart	
Parking space detection	Supports detecting 6 parking spaces and recognizing 6 license plates
Parking space detection rate	99%
Structure	
Indicator	7-color LED indicator, displays the parking space status
Mount method	Adapter panel
General	
Power supply	DC 12V ±25%, PoE (802.3at)
Weight	690g
Ingress protection	IP67

### Dimensions



# UNV

#### Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

http://www.uniview.com

©2024-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

\*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such

errors and reserves the right to change the contents of this document without prior notice.