

# Villa Door Station OEU-202S-HMK4







### **Overview**

OEU-202S-HMK4 villa door station is one of the terminal equipment of the digital building intercom system, with functions of video intercom, security alarm, video surveillance, etc., providing a safe and comfortable living environment for residents. It can be widely used in villa building system.

#### **Features**

- Optional recess box for recess mount.
- Supports power output, which can be enabled or disabled on the Web interface.
- Built-in heating module supports operation at a very low temperature.
- Metal casing.
- Supports batch configuration.
- Supports call and intercom with the connected indoor stations and UNV Link.
- Supports video monitoring, security alarm, and tamper alarm.
- Built-in IC card reader.

## **Specifications**

Model	OEU-202S-HMK4	
Basic Business		
WDR	Support DWDR	
Protocol	Private protocol	
Button	4 x Call button	
Network protocol	TCP/IP, IPv4, HTTP, RTP, RTSP, NTP	


1



Specification Index		
Card Capacity	10000	
Maximum Connected Indoor Station	20	
Hardware Specification		
FOV	Horizontal: 106.9°	
	Vertical: 56.9°	
	Diagonal: 127.9°	
Power Consumption	PoE: 6.48W	
	DC12V: 5.35W	
Volume Adjustment	Support	
Audio Quality	Noise suppression, echo cancellation, AGC	
Audio Input	1 x Built-in omnidirectional microphone	
Audio Output	1 x Built-in speaker	
Audio Compression Bitrate	128Kbps	
Protection Level	IP65 (Apply waterproof glue to the gap between the device and the wall. See the corresponding quick guide for details)  IK08	
Power Supply	DC12V ±25%, IEEE802.3af PoE power supply	
Operating System	Linux	
Illuminator	IR light (adaptive)	
Weight	680g	
Mount Method	Wall mount	
Network	100Mbps network port, supports IEEE802.3af PoE power supply	
Interface	Power*1, network port*1, RS485*1, Wiegand*1, IO input*4, door lock*2 (support electric	
	lock/door magnet), tamper button*1	
Dimensions (L x W x H)	96mm*176mm*33mm	
Operating Environment	-40°C to 60°C, 10% to 90%, noncondensing, outdoor	
Operating Frequency	13.56MHz	
Compliance		
NDAA Compliant	Support	

# **Dimensions**





#### Zhejiang Uniview Technologies Co., Ltd.



http://www.uniview.com



overseasbusiness@uniview.com; globalsupport@uniview.com



 $No.\ 369, Xietong\ Road, Xixing\ Sub-district, Binjiang\ District, Hangzhou\ City, 310051, Zhejiang\ Province, Chinang City, C$ 



 $<sup>{}^{\</sup>star}\mathsf{Product}\,\mathsf{specifications}\,\mathsf{and}\,\mathsf{availability}\,\mathsf{are}\,\mathsf{subject}\,\mathsf{to}\,\mathsf{change}\,\mathsf{without}\,\mathsf{notice}.$ 

<sup>\*</sup>Despite our best efforts, technical or typographical errors may exist in this document.

Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.