

Indoor Station OEI-371S-H-W





Overview

OEI-371S-H-W indoor station is one of the terminals in the digital building intercom system, with functions of video intercom, security alarm, network camera monitoring, etc., providing a safe and comfortable living environment for residents. It can be widely used in building systems such as smart communities, villas, and office parks.

Features

- Durable ABS casing with a glass panel.
- 1024×600 HD touchscreen display.
- Batch configuration and transfer.
- Remote and one-touch unlocking of linked door stations.
- Network camera monitoring and security alarm.

Specifications


Model	OEI-371S-H-W
Hardware Specification	
Power Supply	DC12V±25%,IEEE802.3af, Standard PoE
Power Consumption	<10W
Screen	7-inch ultra-thin TFT LCD screen
Screen Resolution	1024×600
Operation System	Linux
Audio Quality	Noise suppression, echo cancellation and AGC
Audio Input	1 built-in omnidirectional microphone

1



Audio Output	1 built-in speaker	
Audio Compression Standard	MP3 G711	
Audio Compression Bitrate	128Kbps	
Interface	Power*1, network*1, Wi-Fi*1, RS485*1, IO output*2, IO input*8, TF card slot*1	
Network	100Mbps network port, supports IEEE802.3af PoE power supply	
Weight	377g	
Dimensions (L x W x H)	193.2mm×143.4mm×24.3mm	
Operating Environment	-10°C to +55°C, 10% to 90%, non-condensing, indoor	
Basic Business		
Protocol	UNV private protocol	
Network protocol	TCP/IP, IPv4, HTTP, RTP, RTSP, NTP	
Specification Index		
Capacity	200 ScreenShots	
	200 Zone Alarms	
	A total of 20 connected devices, including IPCs, entrance stations, NVRs (up to 2), and Doorbells	
Linked Indoor Station	19 extensions	
Capacity		
Compliance		
NDAA Compliant	Support	

Dimensions





Unlimited New View

Zhejiang Uniview Technologies Co., Ltd.



http://www.uniview.com



over seas business @uniview.com; global support @uniview.com



No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China



^{*}Product specifications and availability are subject to change without notice.

 $Uniview \ cannot \ be \ held \ responsible \ for \ any \ such errors \ and \ reserves \ the \ right \ to \ change \ the \ contents \ of \ this \ document \ without \ prior \ notice.$



 $^{^\}star \text{Despite}$ our best efforts, technical or typographical errors may exist in this document.