

Gigabit Ethernet Switches Datasheet

NSW2010-5GT-POE-IN



Features

- Support IEEE802.3 at standard, compatible with IEEE802.3 af by electrical equipment (PD)
- Supports PoE Power up to 30W for each PoE port;
- Auto detect power device; will not burned non-standard PoE device or normal PoE switch;
- Supports port power supply prioritization, guarantee the continuous power supply of key nodes;
- Supports IEEE802.3 x full duplex flow control and Backpressure half duplex flow control;
- Line-speed forwarding, intelligent identification
- Supports storage – and- forward for Data exchange;

Specifications

Model	NSW2010-5GT-POE-IN
Hardware Specification	
Ports Type	4×1000Mbps PoE ports (RJ45)+1×1000Mbps ports(RJ45)
Switching capacity	10 Gbps
Standards	IEEE802.3, IEEE802.3u, IEEE802.3az, IEEE802.3x, IEEE802.3af, IEEE802.3at
Packet Buffer	1 M bit
Forwarding performance	7.44Mpps
Power Supply	AC: 100 to 240V, 50/60Hz
MAC	2K
PoE Standard	IEEE 802.3af, IEEE 802.3 at
PoE Mode	ModeA (1236)
Max.PoE Power	60W

Max.Power	65W
Cooling Fans	0
Operating Temperature	0°C to 40°C (32°F to 104°F)
Operating Humidity	10% to 90% (noncondensing)
Indicator	<p>PWR:</p> <p>Steady on: AC input is normal</p> <p>Off: No AC input</p> <p>PoE:</p> <p>Off: No PoE power supply</p> <p>Steady on: PoE power supply is normal</p> <p>Flashing: PoE power supply is abnormal</p> <p>LINK/ACT:</p> <p>Off: No link</p> <p>Flashing: Transmitting data</p>
Weight	<1 kg
Working Mode	Default (Normal mode) : All ports can communicate with each other
Dimensions (W×D×H)	140mm x 76.7mm x 27.7mm (5.5"×3"×1.1")

Dimensions

Zhejiang Uniview Technologies Co., Ltd.



<http://www.uniview.com>



overseasbusiness@uniview.com; globalsupport@uniview.com



No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China
(Zhejiang) Pilot Free Trade Zone, China



©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document.

Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.