

# Emergency Door Exit Button

## OEP-GP6



## Overview

OEP-GP6 emergency door exit buttons are commonly used in access control systems and are suitable for banks, telecommunications, supermarkets, hotels, governments, schools, airports, factories, prisons & correctional facilities, safe cities, and other access control scenarios.

## Features

- Simple design, modern and elegant.
- Standard junction box allows for easy installation.
- 500,000 fatigue tests, durable and reliable.


## Specifications

Model	OEP-GP6
Physical	
Material	Plastic casing
Hardware Specification	
Dimensions (L x W x H)	86mm x 86mm x 50mm
Operating Environment	Operating temperature: -30°C to +60°C Operating humidity: ≤95%
Weight	0.2kg
Attestation	CE/FCC/ROHS
Power Supply	DC30V

## Ordering Info

Product Model	Description
OEP-GP6	Emergency Exit Button

## Dimensions



# Unlimited New View

## Zhejiang Uniview Technologies Co., Ltd.

 <http://www.uniview.com>

 [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

 No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China



©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.