

Villa Door Station

OEU-201S-HMK-Z



Overview

OEU-201S-HMK-Z villa door station is a terminal device in the digital building intercom system, with functions of visual intercom, security protection alarm, video surveillance, etc., providing a safe and comfortable living environment for residents. It can be widely used in residential villas.

Features

- Front metal casing.
- Supports batch configuration.
- Supports call and intercom with the connected indoor station and app.
- Supports video surveillance, security protection alarm, and tamper alarm.
- Built-in IC card reader.

Specifications

Model	OEU-201S-HMK-Z	
Hardware Specification		
Power Supply	DC12V ±25%, PoE power supply	
Operation System	Linux	
Supplement Light	IR light (adaptive)	

1



FOV	Horizontal: 124.3° Vertical: 67.5°	
TOV	Diagonal: 147.2°	
Power Consumption	< 10W	
Volume Adjustment	Support	
Audio Quality	Noise reduction, echo cancellation, auto gain control	
Audio Input	Built-in mic	
Audio Output	Built-in speaker	
Audio Compression Standard	PCM, G711, MP3	
Audio Compression Bitrate	128Kps	
Protection Level	IP65 (Apply waterproof glue to the gap between the device and the wall. See the quick guide for details), IK08	
Weight	267g	
Dimensions (L x W x H)	102mm x 31.6mm x 194mm	
Mount Method	Wall mount, supports surface mount, junction box mount, recess mount	
Interface	Power supply*1, network interface*1, RS485*1, door lock interface*2, IO input*4	
Network	100Mbps network interface, supports IEEE802.3af PoE power supply	
Operating Environment	- 40°C to 60°C, 10% to 90% noncondensing, outdoor	
Specification Index		
Card Capacity	10000	
Linked Indoor Station Capacity	20	
Basic Business		
WDR	Supports DWDR	
Protocol	Uniview private protocol	
Button	Door call button*1, tamper button*1	

Ordering Info

Proc	duct Model	Description
OEI	J-201S-HMK-Z	Villa Door Station



Accessories

EP-CS201-Z-NB

EP-CSS201-Z-NB

201S-Z Surface Installation Sunshade


201S-Z Concealed Installation Sunshade an

d Bracket





Dimensions



Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

Email: overse as business@uniview.com; global support@uniview.com

http://www.uniview.com

©2024-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.



*Product specifications and availability are subject to change without notice.

^{*}Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.