### 12MP Parking Space Detection Fisheye Camera

#### PKC17C0@12-C





### Features

- Features
- Optics
- Built-in 1.8mm fixed-focal lens and F2.0 aperture.
- Compression
- Supports main stream, sub stream, and third stream video output.
- Advanced H.265 encoding technology improves compression efficiency.
- Custom OSD allows various vehicle information to be overlaid on the video image.
- Smart
- Built-in intelligent vehicle algorithm.
- Supports motion detection, tampering detection, and alarm-triggered actions.
- Structure
- PoE (802.3at) power supply.
- 7-color indicator allows to configure idle, busy, and alarm scenarios.
- Built-in mic and speaker.
- IP67 protection.

### Specifications

Model	PKC17C0@12-C
Camera	


# unv

### DATASHEET

Sensor	1/1.7" 12MP CMOS		
Focal length	1.8mm		
Shutter	1/100000 to 1/25s		
Minimum illumination	0.03lux		
Lens type	Fixed-focal lens		
Iris	F2.0		
FOV	180°		
Display Parameters			
	Main stream: 3840*2160;		
Resolution	Sub stream: 3280*2464, 2000*2000;		
	Third stream: 720*576 (D1), 352*288 (CIF)		
Image			
Frame rate	20, 18, 16, 15, 12, 10, 8, 6, 5, 4, 3, 2, 1		
Video compression	H.264 (default), H.265		
ROI	Support, up to 8 areas		
Video OSD	Supports custom OSD on live view and image		
Image OSD	Supports custom OSD on live view and image		
Privacy mask	Support, up to 4 areas		
Interface			
Network interface	1 x 1000M/100M/10M adaptive Ethernet copper port		
Serial port	1 xRS485		
Boolean output	1 x alarm output		
Boolean input	2 x alarm input		
Audio interface	1 x audio output, 1 x audio input		
Built-in mic	Support		
Built-in speaker	Support		
BNC	Support		
Service Config			
Third-party server	Two photo servers via HTTP, VIID, and FTP protocols; MQTT server via MQTT protocol		
Smart			
Parking space detection	Supports detecting 12 parking spaces		
Parking space detection rate	99%		
Structure			
Indicator	7-color LED indicator, displays the parking space status		
Mount method	Adapter panel		
General			
Power supply	DC 12V ±25%, PoE (802.3at)		
Weight	690g		
Ingress protection	IP67		

## UNV

### Dimensions



### Ordering Info

Product Model	Config	Description
PKC17C0	12-C	12MP Parking Space Detection Fisheye Camera

#### Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

 ${\it Email: overseas business} @uniview.com; global support @uniview.com \\$ 

http://www.uniview.com

 $\ensuremath{\mathbb{C}}$  2024-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

\*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.