


# Outdoor Tridirectional Parking Guidance Display PKS2303-RG



## Features

- Displays welcome messages and real-time availability of parking spaces for the entire parking lot.
- Shows parking space information for a designated area in both directions, guiding drivers to park quickly and efficiently.
- Supports display of English characters, numerals, and arrows; standard communication interfaces include RS485 and RJ45, enabling standalone or networked operation.
- Equipped with high-brightness outdoor LED modules for clear and highly visible content, even under direct sunlight.


## Specifications

Model	PKS2303-RG
Module	
Pixel Pitch	10mm
Module Resolution (W × H)	16×32
Display Parameters	
Display size	W320*H480mm
Display character	Numbers, letters, symbols
Display color	Red, green, yellow
Processing Image	
Brightness (nits)	4000
Color Temperature (K)	4500 ~ 5500K
Processing performance	
Scanning Mode (S)	16S
Drive Mode	Constant current

Refresh Rate (Hz)	1920
<b>Interface</b>	
Network interface	100M*1
Serial port	RS485*1
<b>Electrical</b>	
Power Supply	AC100 ~ 240V
<b>General</b>	
Product Dimensions (W × H × D) (mm)	942*182*55
Ingress Protection	IP54
Operating Temperature	-20°C ~ 50°C
Accessories Included	M8*25 screw*4, Key*1, Quick guide*1

## Dimensions

mm[inch]



## Accessories

<b>PKP-LZ-100-50</b>		
Outdoor Parking Guidance Screen Pole		

# Unlimited New View

## Zhejiang Uniview Technologies Co., Ltd.



<http://www.uniview.com>



[overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)



No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China



©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.