

OEU-201S-HMK-W Villa Outdoor Station

OEU-201S-HMK-W



Overview

OEU-201S-HMK-W is one of the terminal equipment of the digital building intercom system, with video intercom, security alarm, video surveillance, to provide a safe and comfortable living environment for residents. It can be used in villa residential building system.

Features

- Front panel: Aluminum alloy
- Supports batch configuration
- Supports intercom calls to associated indoor units or APPs
- Support monitoring function, security alarm, tamper alarm
- Support Wi-Fi
- Built-in IC card reader

Specifications


Hardware Specification	Description
Power Supply	DC 12V ± 25% input; IEEE802.3af, Standard PoE
Operation System	Linux
Supplement Light	IR light(Adaptive infrared compensation)

FOV	Horizontal:124.3° Vertical:67.5° Diagonal:147.2°
Power consumption	<10W
Volume adjustment	Adjustable
Audio quality	Noise suppression, echo cancellation and AGC
Audio input	1 built-in omnidirectional microphone
Audio output	1 built-in speaker
Audio compression standard	PCM, G711, MP3
Audio compression bitrate	128Kbps
Protection Level	IP65 (Apply waterproof glue to the gap between the device and the wall. For more information, see the quick guide.) IK08
Weight	0.267Kg
Dimensions (L x W x H)	79mm × 171mm × 34mm
Mount method	Wall mounted, flush installation
Interface	Power *1, network port *1, WIFI, RS485, door lock interface *2, IO input *4
Network	100Mbps network port, supports IEEE802.3af PoE power supply
Operating environment	- 30℃~ + 60℃, 10%~90%, non-condensing, outdoor
Specification index	Description
Card Capacity	10000
Linked indoor station capacity	20
Basic business	Description
WDR	Support DWDR
Protocol	UNV private protocol
Button	1 physical button

Ordering Info

Product Model	Description
OEU-201S-HMK-W	Villa Door Station(IC Card,WiFi)

Dimensions



Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2023-2024 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.