

## LED display bracket

### HB-L005




## Features


- Integrated modular design for fast installation and high efficiency, saving the installation cost and shortening the delivery cycle.
- Ultra-slim wall-mount bracket, suitable for installation in small space such as various monitoring rooms, conference rooms, etc.
- Simple bracket design, slight and elegant.
- High-strength wall-mount fixture provides secure and reliable installation.

## Specifications

Model	HB-L005
Cabinet	
Material	Sheet metal
General	
Weight (kg)	Net Weight: 1.35 Gross Weight: 1.8
Package Dimension (W x H x D) (mm)	510 x 50 x 380
Standard	Baseplate x 1, main connection plate x 1, sub connection plate x 1, hexagon socket head screw with spring washer (M6 x 12) x 8, hexagon socket head shoulder screw (M8 x 10) x 2, expansion screw components x 4 (Hexagon head flange wood screw (M6 x 60) & nylon expansion tube (φ10 x 60) & flat washer (φ18-22)

## Dimensions





## Ordering Info

Product Model	Description
HB-L005	LED DISPLAY BRACKET

Zhejiang Uniview Technologies Co., Ltd.

 <http://www.uniview.com>

 [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

 No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China



©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

\*Despite our best efforts, technical or typographical errors may exist in this document.

Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.