

# Villa Door Station OEU-202S-HMK4







### **Overview**

OEU-202S-HMK4 villa door station is one of the terminal equipment of the digital building intercom system, with functions of video intercom, security alarm, video surveillance, etc., providing a safe and comfortable living environment for residents. It can be widely used in villa building system.

### **Features**

- Optional recess box for recess mount.
- Supports power output, which can be enabled or disabled on the Web interface.
- Built-in heating module supports operation at a very low temperature.
- Metal casing.
- Supports batch configuration.
- Supports call and intercom with the connected indoor stations and APP.
- Supports video monitoring, security alarm, and tamper alarm.
- Built-in IC card reader.

1




## **Specifications**

Model	OEU-202S-HMK4
Basic Business	
WDR	Support DWDR
Protocol	Private protocol
Button	4 x Call button
Network protocol	TCP/IP, IPv4, HTTP, RTP, RTSP, NTP
Specification Index	
Card Capacity	10000
Maximum Connected Indoor	20
Station	20
Hardware Specification	
FOV	Horizontal: 106.9°
	Vertical: 56.9°
	Diagonal: 127.9°
Power Consumption	PoE: 6.48W
	DC12V: 5.35W
Volume Adjustment	Support
Audio Quality	Noise suppression, echo cancellation, AGC
Audio Input	1 x Built-in omnidirectional microphone
Audio Output	1 x Built-in speaker
Audio Compression Bitrate	128Kbps
Protection Level	IP65 (Apply waterproof glue to the gap between the device and the wall. See the corresponding
	quick guide for details)
	IK08
Power Supply	DC12V ±25%, IEEE802.3af PoE power supply
Operating System	Linux
Illuminator	IR light (adaptive)
Weight	680g
Mount Method	Wall mount
Network	100Mbps network port, supports IEEE802.3af PoE power supply
Interface	Power*1, network port*1, RS485*1, Wiegand*1, IO input*4, door lock*2 (support electric
	lock/door magnet), tamper button*1
Dimensions (L x W x H)	96mm*176mm*33mm
Operating Environment	-40°C to 60°C, 10% to 90%, noncondensing, outdoor
Operating Frequency	13.56MHz
Compliance	
NDAA Compliant	Support



### **Dimensions**



#### Zhejiang Uniview Technologies Co., Ltd.



http://www.uniview.com







No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China



 $<sup>{}^*\</sup>mathsf{Despite}\ \mathsf{our}\ \mathsf{best}\ \mathsf{efforts}, \mathsf{technical}\ \mathsf{or}\ \mathsf{typographical}\ \mathsf{errors}\ \mathsf{may}\ \mathsf{exist}\ \mathsf{in}\ \mathsf{this}\ \mathsf{document}.$ 

Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.

