


## Explosion-proof flexible conduit TR-FP10-L



## Features

- This explosion-proof flexible conduit is equipped with 316L stainless steel threaded fittings on both ends and features a high-quality rubber outer jacket.
- Features flame resistance, oil resistance, corrosion resistance, water resistance, abrasion resistance, aging resistance, excellent flexibility, and structural stability, thereby enhancing on-site reliability.
- Explosion-proof, waterproof, and dustproof design
- Flexible structure, suitable for indoor and outdoor use, easy to install and maintain.
- Specifically designed for the installation of explosion-proof cameras and explosion-proof control boxes, this component provides a flexible connection between steel conduits and explosion-proof equipment.

## Dimensions



## Accessories

**TR-JB13-L**

Explosion-proof Control Box



**TR-JB16-L**

Explosion-proof Control Box



# Unlimited New View

浙江宇视科技有限公司



<http://www.uniview.com>



[overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)



South Tower, Building 10, Wanlun Science Park, 88 Jiangling Road, Hangzhou, P.R.China



©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

虽然我司试图在本资料中提供准确的信息，但不保证资料的内容不含有技术性误差或印刷性错误，为此我司对本资料中的不准确不承担任何责任。我司保留在没有通知或提示的情况下对本资料的内容进行修改的权利。