

# VS-DB9500E-IN Database Server Datasheet

## VS-DB9500E-IN



## Overview

The VS-DB9500E-IN database server is a big data server that provides storage and retrieval service for large volume of structured and semi-structured data. The server provides high-speed database read/write and is ideal for large-volume data services of the security industry.

## Features

- Supports mixed storage of structured and semi-structured data with adjustable ratio.
- Supports distributed server clusters, allows multiple data backups.
- Supports real-time vehicle monitoring tasks and big data analytic tasks to satisfy requirements of various big data service applications.
- Uses advanced correlation algorithms to retrieve from billion pieces of data within seconds.
- Optimized software and hardware integration, secure and efficient.
- Industrial-grade standard hardware integration ensures stable and reliable system.
- Stand-alone server supports cold standby (one integrated 4TB enterprise SATA HDD to be purchased separately as the cold-standby HDD).

## Specifications

Model	VS-DB9500E-IN
Max Storage Capacity Per Server	
Structured Data	1 billion pieces
Semi-structured Dynamic Face Data	50 million pieces

Semi-Structured Passing Vehicles Data	5 million pieces
Semi-structured Static Face Date	50 million pieces
Semi-structured Video Data Of Human Objects	25 million pieces
<b>Hardware Parameters</b>	
AC Power Input Interface (PSU0)	100-240 V AC; 50 Hz/60 Hz
Expansion Power Module Slot (PSU1)	1 x 600W power module (standard) 1+1 redundancy (optional)
Network Interface	GE*5
Serial Interface	2 x RS232 One for SAS3008 troubleshooting, the other is the server's serial interface
USB Interface	4
HDD	2TB SAS*2
RAM	32GB*4
Dimensions (W×D×H)	446mm×760mm×89mm
Weight	20KG
Whole-system consumption	Maximum 450W
Operating temperature	5°C-35°C (recommended: 10°C-35°C)
Operating humidity	20RH%-80RH% (noncondensing)

## Ordering Info

Product Model	Description
VS-DB9500E-IN	Database Server

### Zhejiang Uniview Technologies Co., Ltd.



<http://www.uniview.com>



[overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)



No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China  
(Zhejiang) Pilot Free Trade Zone, China



©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

\*Despite our best efforts, technical or typographical errors may exist in this document.

Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.