

## Network Video Recorder NVR804-IX-G Series



## Features

- Support Ultra H.265/H.265/H.264 video formats
- Support 16/32/64-channel input
- Support 3-ch HDMI, 1-ch VGA, HDMI1 and VGA simultaneous output, HDMI1 /VGA and HDMI2 and HDMI3 independent output.
- Support up to 4K resolution recording
- Support ANR technology to enhance the storage reliability when the network is disconnected
- Support SeekFree: up to 16-ch with 3rd party and UNV normal IPC, up to all channels with UNV SIP/UMD/etc. Smart IPC
- Support external USB keyboards
- Support SIP, UMD, Video Metadata, analysis, Plate Comparison, People Counting, Face Detection and face detection by NVR
- Support cloud upgrade

## Specifications

| Model                  | NVR804-16-IX-G                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                         | NVR804-32-IX-G                                                                                                                                                                                                                                                                                                          | NVR804-64-IX-G |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Decoding               |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Decoding Format        | Ultra 265, H.265, H.264                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Decoding Capability    | Smart Off:<br>H265: 6 x 4K@30, 8 x 6MP@30, 10 x 5MP@30, 12 x 4MP@30, 16 x 3MP@30, 16 x 1080P@30, 16 x 720P@30, 16 x D1@60<br>H264: 6 x 4K@30, 8 x 6MP@30, 10 x 5MP@30, 12 x 4MP@30, 16 x 3MP@30, 16 x 1080P@30, 16 x 720P@30, 16 x D1@60<br>Smart On: When Smart by NVR on, the decoding capacity is same as Smart off. | Smart Off:<br>H265: 6 x 4K@30, 8 x 6MP@30, 10 x 5MP@30, 12 x 4MP@30, 16 x 3MP@30, 25 x 1080P@30, 32 x 720P@30, 32 x D1@60<br>H264: 6 x 4K@30, 8 x 6MP@30, 10 x 5MP@30, 12 x 4MP@30, 16 x 3MP@30, 25 x 1080P@30, 32 x 720P@30, 32 x D1@60<br>Smart On: When Smart by NVR on, the decoding capacity is same as Smart off. | Smart Off:<br>H265: 6 x 4K@30, 8 x 6MP@30, 10 x 5MP@30, 12 x 4MP@30, 16 x 3MP@30, 25 x 1080P@30, 32 x 720P@30, 64 x D1@30<br>H264: 6 x 4K@30, 8 x 6MP@30, 10 x 5MP@30, 12 x 4MP@30, 16 x 3MP@30, 25 x 1080P@30, 32 x 720P@30, 64 x D1@30<br>Smart On: When Smart by NVR on, the decoding capacity is same as Smart off. |                |
|                        | The resolution of each channel cannot exceed 8192 pixels in length or width, For VGA/HDMI independent output, the VGA live video is output by default. To output the highest resolution video from the HDMI port, please clear the VGA video on the preview page.                                                       |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Audio Compression      | G.711A, G.711U                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Network                |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Incoming Bandwidth     | 384 Mbps                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Outgoing Bandwidth     | 384 Mbps                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Max Users Can Be Added | 32                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Max Remote Users       | 128                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Protocols              | TCP/IP, P2P, SMTP, RTSP, UPnP, NTP, DHCP, PPPoE, HTTP, DNS, DDNS, IPv6, IPv4, HTTPS, SNMP                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Browser (Plugin)       | Chrome 45+, Edge 79+, Firefox 52+                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Browser (Plugin-Free)  | Chrome 57+, Edge 16+, Firefox 58+, Safari 11+                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Video/Audio Input      |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| IP Video Input         | 16-ch                                                                                                                                                                                                                                                                                                                   | 32-ch                                                                                                                                                                                                                                                                                                                   | 64-ch                                                                                                                                                                                                                                                                                                                   |                |
| BNC Audio Input        | N/A                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| RCA Audio Input        | 1-ch                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| 3.5mm Audio Input      | N/A                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Peripheral Input       |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| POS                    | All channels                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Ip Speaker             | 32-ch                                                                                                                                                                                                                                                                                                                   | 32-ch                                                                                                                                                                                                                                                                                                                   | 64-ch                                                                                                                                                                                                                                                                                                                   |                |
| Video/Audio Output     |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| Video Output           | Support 3-ch HDMI, 1-ch VGA, HDMI1 and VGA simultaneous output, HDMI1 /VGA and HDMI2 and HDMI3 independent output.                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| HDMI Output            | 4K (3840 × 2160)/60 Hz, 4K (3840 × 2160)/30 Hz, 1920 × 1080/60 Hz, 1280 × 720/60 Hz                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |
| VGA Output             | 1920 × 1080/60 Hz, 1280 × 720/60 Hz                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                         |                |


|                                     |                                                                                                                                                                                                                                                                                     |                                                     |                                                                                                   |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------|
| HDMI Standard                       | HDMI1.4                                                                                                                                                                                                                                                                             |                                                     |                                                                                                   |
| BNC Audio Output                    | N/A                                                                                                                                                                                                                                                                                 |                                                     |                                                                                                   |
| RCA Audio Output                    | 3-ch                                                                                                                                                                                                                                                                                |                                                     |                                                                                                   |
| Liveview Display                    | HDMI1 and<br>VGA/HDMI2/HDMI3:<br>1/4/6/8/9/16                                                                                                                                                                                                                                       | HDMI1 and<br>VGA/HDMI2/HDMI3:<br>1/4/6/8/9/16/25/32 | HDMI1 and VGA:<br>1/4/6/8/9/16/25/36/64<br>HDMI2: 1/4/6/8/9/16/25/36<br>HDMI3: 1/4/6/8/9/16/25/36 |
| Default Num of Live Screen          | 16                                                                                                                                                                                                                                                                                  | 32                                                  | HDMI1 and VGA: 64; HDMI2:<br>36; HDMI3: 36                                                        |
| Corridor Mode Screen                | 3/4/5/7/9/10/12/16                                                                                                                                                                                                                                                                  | 3/4/5/7/9/10/12/16/32                               | 3/4/5/7/9/10/12/16/32                                                                             |
| 3.5mm Audio Output                  | N/A                                                                                                                                                                                                                                                                                 |                                                     |                                                                                                   |
| Playback Screen                     | 1/4/9/16                                                                                                                                                                                                                                                                            |                                                     |                                                                                                   |
| Corridor Mode Screen of<br>Playback | 1/3                                                                                                                                                                                                                                                                                 |                                                     |                                                                                                   |
| Two-way Audio                       |                                                                                                                                                                                                                                                                                     |                                                     |                                                                                                   |
| Two-way Audio                       | 1-ch, RCA (Using the audio input and output)                                                                                                                                                                                                                                        |                                                     |                                                                                                   |
| Recording                           |                                                                                                                                                                                                                                                                                     |                                                     |                                                                                                   |
| Recording Resolution                | 8 MP/6 MP/5 MP/4 MP/3 MP/1080P/960P/720P/D1/2CIF/CIF                                                                                                                                                                                                                                |                                                     |                                                                                                   |
| Num of Concurrent Playback          | 32-ch                                                                                                                                                                                                                                                                               |                                                     |                                                                                                   |
| Synchronous Playback in<br>Local    | 16-ch                                                                                                                                                                                                                                                                               |                                                     |                                                                                                   |
| Smart Function                      |                                                                                                                                                                                                                                                                                     |                                                     |                                                                                                   |
| Smart by IPC                        | All channels (up to 16 images/s in total) Face Detection, Face Comparison, Vehicle Detection (LPR), Temperature Detection, SIP, UMD, Video Metadata, Traffic Monitoring, People Counting                                                                                            |                                                     |                                                                                                   |
| Smart by NVR                        | Face Detection, Face Comparison, People Counting (People Flow Counting, Crowd Density Monitoring), Video Metadata, Smart Intrusion Prevention (SIP), Behavior Analysis, Evacuation Route Obstruction, Plate Comparison, Elevator Entrance Detection, Illegally Parked Motor Vehicle |                                                     |                                                                                                   |
| Smart by NVR Analyzer Mode          | Mixed Mode (SIP+Behavior Analysis+People Counting), Mixed Mode (Face Recognition+Mixed-Traffic Detection+AcuSearch/AcuTrack), Modes cannot active simultaneously, only one mode can active at a time.                                                                               |                                                     |                                                                                                   |
| VCA Search                          | Face Snapshot Search, Face Comparison Search, Behavior Search, Motor Vehicle Search, Non-Motor Vehicle Search, Human Body Search, General Search, People Counting Report, Heat Map, SmartSearch+, AcuSearch, AcuTrack, SeekFree                                                     |                                                     |                                                                                                   |
| AcuSearch                           |                                                                                                                                                                                                                                                                                     |                                                     |                                                                                                   |
| Acu Search Performance              | All channels with UNV SIP/UMD Camera, Up to 16-ch with normal camera (UNV and Third-part brand, 16-ch 2MP, 8-ch 4MP, 4-ch 4K)                                                                                                                                                       |                                                     |                                                                                                   |
| AcuTrack                            |                                                                                                                                                                                                                                                                                     |                                                     |                                                                                                   |
| Acu Track Performance               | All channels with UNV SIP/UMD Camera, Up to 16-ch with normal camera (UNV and Third-part brand, 16-ch 2MP, 8-ch 4MP, 4-ch 4K)                                                                                                                                                       |                                                     |                                                                                                   |
| SeekFree                            |                                                                                                                                                                                                                                                                                     |                                                     |                                                                                                   |
| SeekFree Performance                | All channels with UNV SIP/UMD Camera, Up to 16-ch with normal camera (UNV and Third-part brand, 16-ch 2MP, 8-ch 4MP, 4-ch 4K)                                                                                                                                                       |                                                     |                                                                                                   |

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                    |                                                                                                                                    |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| SeekFree Language                         | English                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                    |                                                                                                                                    |
| face detection                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                    |                                                                                                                                    |
| face detection by NVR                     | Up to 16-ch with UNV Face Detection Camera Up to 16-ch with normal camera (UNV and Third-part brand, 16-ch 2MP, 8-ch 4MP, 4-ch 4K)                                                                                                                                                                                                                                                                                                              | Up to 32-ch with UNV Face Detection Camera Up to 16-ch with normal camera (UNV and Third-part brand, 16-ch 2MP, 8-ch 4MP, 4-ch 4K) | Up to 32-ch with UNV Face Detection Camera Up to 16-ch with normal camera (UNV and Third-part brand, 16-ch 2MP, 8-ch 4MP, 4-ch 4K) |
| Search by Image                           | Support                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                    |                                                                                                                                    |
| Plate Comparison                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                    |                                                                                                                                    |
| Vehicle Number Library                    | Up to 5 vehicle picture libraries, with up to 25,000 vehicle pictures in total                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                    |                                                                                                                                    |
| SIP                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                    |                                                                                                                                    |
| SIP by NVR with normal cameras            | Up to 16-ch with normal camera (UNV and Third-part brand, 16-ch 2MP, 8-ch 4MP, 4-ch 4K)                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                    |                                                                                                                                    |
| UMD                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                    |                                                                                                                                    |
| UMD by NVR with normal cameras            | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                    |                                                                                                                                    |
| analysis                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                    |                                                                                                                                    |
| analysis with normal cameras              | Up to 16-ch with normal camera (UNV and Third-part brand, 16-ch 2MP, 8-ch 4MP, 4-ch 4K)                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                    |                                                                                                                                    |
| analysis Type                             | No Helmet Detection, No Chef Hat Detection, No Work Clothes Detection, Smoking Detection, Smoke and Fire Detection, Calling Detection, No Mask Detection, Rat Detection, Long Stay Detection, Fall Detection, Fight Detection, Absence Detection, Quick Moving, People Dispersion, People Gathering, Using Mobile Phone Detection, No Reflective Clothing Detection, Sleep on Duty Detection, Climbing Detection, Knife/Stick in Hand Detection |                                                                                                                                    |                                                                                                                                    |
| Video Metadata                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                    |                                                                                                                                    |
| Video Metadata by NVR with normal cameras | Up to 16-ch with normal camera (UNV and Third-part brand, 16-ch 2MP, 8-ch 4MP, 4-ch 4K)                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                    |                                                                                                                                    |
| Video Metadata Type                       | Motor Vehicle: Vehicle Type, Vehicle Color, Vehicle Brand, Direction, Plate Type, Plate Color, Human Body: Gender, Age, Mask, Hairstyle, Bag Style, Direction, Upper Garment Length, Lower Garment Length, Upper Garment Color, Lower Garment Color, Non-Motor Vehicle: Non-Motor Vehicle Type, Direction, Gender, Age, Upper Garment Length, Upper Garment Color                                                                               |                                                                                                                                    |                                                                                                                                    |
| Capacity of Smart Snapshots               |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                    |                                                                                                                                    |
| Capacity of Snapshot Records              | 2 millions records for SIP, 2 millions records for vehicle snapshot, 3 millions records for face snapshot                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                    |                                                                                                                                    |
| Alarm                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                    |                                                                                                                                    |
| General Alarm                             | Defocus Detection, Scene Change Detection, Object Left Behind, Object Removed, Auto Tracking, Motion Detection, Tampering, Human Body Detection, Video Loss, Audio Detection, Alarm Input                                                                                                                                                                                                                                                       |                                                                                                                                    |                                                                                                                                    |
| Alert Alarm                               | IP Conflict, Network Disconnected, Disk Offline, Disk Abnormal, Illegal Access, Hard Disk Space Low, Hard Disk Full, Recording/Snapshot Abnormal, High CPU Temperature, High Motherboard Temperature, Array Damaged, Array Degraded                                                                                                                                                                                                             |                                                                                                                                    |                                                                                                                                    |
| Hard Disk                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                    |                                                                                                                                    |
| SATA                                      | 4 SATA Interfaces                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                    |                                                                                                                                    |
| Capacity                                  | Up to 24 TB for each HDD (The maximum HDD capacity varies with environment temperature and hard disk size, The environment temperature for use should not exceed 40°C.)                                                                                                                                                                                                                                                                         |                                                                                                                                    |                                                                                                                                    |

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                           |              |     |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----|
| Disk Group                      | Support                                                                                                                                                                                                                                                                                                                                                                                                                   |              |     |
| Redundant Storage               | Support                                                                                                                                                                                                                                                                                                                                                                                                                   |              |     |
| Disk Array Type                 | RAID 0, 1, 5                                                                                                                                                                                                                                                                                                                                                                                                              | RAID 0, 1, 5 | N/A |
| External Interface              |                                                                                                                                                                                                                                                                                                                                                                                                                           |              |     |
| Network Interface               | 2 RJ45 10 M/100 M/1000 M self-adaptive Ethernet Interface                                                                                                                                                                                                                                                                                                                                                                 |              |     |
| Network Working Mode            | Multi-access, load balance, network fault-tolerance                                                                                                                                                                                                                                                                                                                                                                       |              |     |
| USB                             | Front panel: 2 × USB2.0, Rear panel: 2 × USB3.0                                                                                                                                                                                                                                                                                                                                                                           |              |     |
| RS485                           | 1                                                                                                                                                                                                                                                                                                                                                                                                                         |              |     |
| RS232                           | 1                                                                                                                                                                                                                                                                                                                                                                                                                         |              |     |
| Alarm In                        | 16-ch                                                                                                                                                                                                                                                                                                                                                                                                                     |              |     |
| Alarm Out                       | 10-ch                                                                                                                                                                                                                                                                                                                                                                                                                     |              |     |
| eSATA                           | 1                                                                                                                                                                                                                                                                                                                                                                                                                         |              |     |
| miniSAS HD                      | N/A                                                                                                                                                                                                                                                                                                                                                                                                                       |              |     |
| miniSAS                         | N/A                                                                                                                                                                                                                                                                                                                                                                                                                       |              |     |
| Power Output                    | 12 V                                                                                                                                                                                                                                                                                                                                                                                                                      |              |     |
| Extension Board                 | 1                                                                                                                                                                                                                                                                                                                                                                                                                         |              |     |
| Buzzer                          | Support                                                                                                                                                                                                                                                                                                                                                                                                                   |              |     |
| Power Supply                    | AC 100 to 240 V                                                                                                                                                                                                                                                                                                                                                                                                           |              |     |
| Power Switch                    | Support                                                                                                                                                                                                                                                                                                                                                                                                                   |              |     |
| Redundant Power Supply          | N/A                                                                                                                                                                                                                                                                                                                                                                                                                       |              |     |
| PoE                             |                                                                                                                                                                                                                                                                                                                                                                                                                           |              |     |
| PoE Interface                   | N/A                                                                                                                                                                                                                                                                                                                                                                                                                       |              |     |
| Max Power                       | N/A                                                                                                                                                                                                                                                                                                                                                                                                                       |              |     |
| Supported Standard              | N/A                                                                                                                                                                                                                                                                                                                                                                                                                       |              |     |
| Working Environment             |                                                                                                                                                                                                                                                                                                                                                                                                                           |              |     |
| Working Temperature             | -10 °C to 55 °C (14 °F to 131 °F)                                                                                                                                                                                                                                                                                                                                                                                         |              |     |
| Working Humidity                | ≤ 90% RH (non-condensing)                                                                                                                                                                                                                                                                                                                                                                                                 |              |     |
| Power Consumption (without HDD) | ≤50W                                                                                                                                                                                                                                                                                                                                                                                                                      |              |     |
| Heat Dissipation                | Fan, Radiator                                                                                                                                                                                                                                                                                                                                                                                                             |              |     |
| GUI Language                    |                                                                                                                                                                                                                                                                                                                                                                                                                           |              |     |
| GUI Language                    | 38 languages: Simplified Chinese, Traditional Chinese, English, Vietnamese, Thai, Turkish, Spanish (Latin America), Portuguese (Brazil), Spanish, Portuguese, French, German, Italian, Dutch, Polish, Czech, Hungarian, Slovak, Russian, Hebrew, Arabic, Ukrainian, Estonian, Bulgarian, Greek, Romanian, Danish, Swedish, Norwegian, Finnish, Croatian, Slovenia, Serbia, Korean, Japanese, Latvian, Lithuanian, Persian |              |     |
| Certification                   |                                                                                                                                                                                                                                                                                                                                                                                                                           |              |     |
| Certification                   | CE; FCC; UL; RoHS; WEEE                                                                                                                                                                                                                                                                                                                                                                                                   |              |     |
| CE                              | EN 55032, EN 61000-3-3, EN IEC 61000-3-2, EN 50130                                                                                                                                                                                                                                                                                                                                                                        |              |     |
| FCC                             | Part15 Subpart B                                                                                                                                                                                                                                                                                                                                                                                                          |              |     |
| Feature Supported               |                                                                                                                                                                                                                                                                                                                                                                                                                           |              |     |
| Cruise Lines Num of Each Camera | 4                                                                                                                                                                                                                                                                                                                                                                                                                         |              |     |

|                               |                     |
|-------------------------------|---------------------|
| Preset Num                    | 32                  |
| N+1 Hot Spare                 | N/A                 |
| Fisheye Dewarping by IPC      | Support             |
| ANR                           | Support             |
| Dual-lens Cameras             | Support             |
| Downlink ONVIF                | Support (Profile S) |
| Box-Dome Linkage              | Support             |
| Uplink ONVIF                  | N/A                 |
| Video Image Database (Uplink) | Support             |
| UCS (Web socket)              | Support             |
| NAS                           | Support             |
| Ucode Basic Mode              | Support             |
| Ucode Advanced Mode           | Support             |
| Output Mode                   | N/A                 |
| <b>Compliance</b>             |                     |
| NDAA Compliant                | Support             |

## Dimensions



# Accessories

| FL-2U                                                                             |  |  |
|-----------------------------------------------------------------------------------|--|--|
| 4 HDDs & 8 HDDs 2U NVR Rack Mount                                                 |  |  |
|  |  |  |

# Unlimited New View

## Zhejiang Uniview Technologies Co., Ltd.



<http://www.uniview.com>



[overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)



No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China



©2025-2026 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.