

10 Degrees Warm Light Strobe Lamp

LAMP-S16@A10-T30-OS



Features

- Elegant appearance, integrated structure design, safety and convenient.
- Uses high-power LED warm light chip, warm and soft light source, glare-free, avoiding light pollution.
- Supports synchronous video illumination.
- Uniform illumination delivers clear image, no smearing or overexposure.
- Pulse signal self-test, no need for setup, automatic high-frequency illumination based on the digital pulse signal of the camera unit.
- Wide voltage allows AC 176V to 264V mains power supply.
- All-weather operation, applicable to harsh environments.
- IP67 protection level, waterproof and dustproof.

Specifications

| | |
|----------------------------|---------------------------------------|
| Model | LAMP-S16@A10-T30-OS |
| White light flash | |
| Color temperature | 3000K |
| White light flash lifetime | >50000h@25°C |
| Hardware Parameter | |
| Strobe luminous flux | 1400lm@20% duty cycle |
| Illumination angle | 10° |
| Trigger level | 4V to 6V (active high) |
| Trigger duty ratio | 1% to 40% |
| Response time | ≤370μs |
| Interface | 1 power input, 1 strobe trigger input |


LED strobe

| | |
|-------------------|------------------|
| Trigger mode | TTL level/switch |
| Trigger frequency | 40Hz to 200Hz |
| Power consumption | 30W |

Be in common use

| | |
|------------------------|--|
| Bracket rotation angle | -90° to +90° |
| Power supply | AC176V to 264V, 50/60Hz |
| Weight | 1.4kg |
| Dimensions (L × W × H) | 182mm x 157mm x 71.4mm (without universal bracket) |
| Ingress protection | IP65 |

Dimensions



Accessories

TR-UP0627

Universal Pole Mounting Bracket(Elegant
White,Diameter100-300mm,Domestic
Version),Universal Type



Ordering Info

| Product Model | Config | Description |
|---------------|------------|-----------------------------------|
| LAMP-S16 | A10-T30-OS | 10 Degrees Warm Light Strobe Lamp |

Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.