

Pluggable 4K Camera And MIC Module

HB-7199-CA08



Features

- Professional 4K HD camera for immersive remote collaboration.
- The built-in correction algorithm improves distortion at the edges of large scenes with no more than 2% distortion.
- Achieves stunning picture quality with professional sensor.
- Built-in WDR anti-backlight algorithm, the camera is adaptive to bright and dark environments.
- The LED is green when the camera module is on, and turns off when it is off, preventing meeting information leakage.
- The camera module supports plugging and unplugging, and it can be unplugged during secret meeting.
- The camera module has a 112° super-wide-angle lens with wide coverage.
- Adopting 15° downtilt angle, the lens can capture the main center of the conference and improve the meeting experience.
- Omni-directional 8-microphone array with 8-meter pickup distance.
- The microphone supports echo cancellation, auto gain and noise suppression.


Specifications

Model	HB-7199-CA08	
Camera		
Camera Resolution	4K@30 fps	
Sensor Pixel Size	1.45 x 1.45	
FOV	Diagonal: 112.7°	
Distortion	≤2%	
Microphone		
Microphone	Omni-directional 8-microphone array	
Pickup Angle	180°	
Pickup Distance (m)	8	

1

unv		DATASHEET
Pickup Capacity	Echo cancellation, auto gain, noise suppression	
General		
Product Dimensions (W × H × D) (mm)	359 x 50 x 46	
Package Dimensions (W × H × D) (mm)	390 x 85 x 75	
Weight (g)	Net Weight: 463 Gross Weight: 560	

Dimensions



Ordering Info

Product Model	Description
HB-7199-CA08	Pluggable 4K Camera And MIC Module



Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

http://www.uniview.com

©2023-2025 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.