DE1824-V2 Disk Enclosure Datasheet

DE1824-V2



Overview

DE1800-V2, with high performance, high reliability, high density, high scalability, is an affordable high-level disk enclosure developed especially for video surveillance.

Features

- High-Quality Hardware Design
- high performance
- 12Gbps SAS-3 technology provides superior performance experience
- High density
- The innovative enclosure with 801mm depth and 4U height that holds up to 48 disks, is space-saving .
- Redundant power supplies
- The hot-swappable power supply is designed in redundancy and load balancing mode. Automatic power switching in case of failure

UNV

and online replacement of failed power supply are supported.


- Power protection
- Disk powered on sequentially during system startup, protection from impulse current.
- Multistage fan speed and energy saving
- Fans with multistage speed are configured in the hot-swappable frame in redundancy mode. System power consumption can be balanced intelligently with heat dissipation calculation to ensure low power consumption and stable operation of the system.


Specifications

| Model | DE1824-V2 | |
|------------------------------|--|--|
| Module | | |
| Controller number | 1 | |
| Power Consumption | 250W (fully loaded) | |
| Power Supply | 100V – 127V/200V – 240V AC; 60Hz/50Hz | |
| Weight | Fully loaded: < 38kg | |
| Dimension | 482mm X589mm X 175mm | |
| Authentication certificate | CE, FCC, CB, RoHS, WEEE | |
| Operating temperature | 5°C ~ 40°C / 41°F ~ 104°F | |
| Interface | | |
| HDD slot | 24 | |
| Serial port | 1 | |
| Back-end Expansion Interface | 2-port 4*12 Gbps Mini SAS HD (Primary) 2-port 2*12 Gbps Mini SAS HD (Backup) | |

UNV

Dimensions





| P C P I * • I - | • () ° • | • D 2 2 |
|-------------------------------|-----------|----------------|
| | 100 | e |
| | | |

Ordering Info

| Product Model | Description |
|---------------|---|
| DE1824-V2 | 24 Disk Slots Network Storage Disk Enclosure Unit |

Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

http://www.uniview.com

©2023-2024 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

unv

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.