

【Datasheet】TR-UP0627 Universal Extended Pole Bracket 2024 0201 (Public)

TR-UP0627




Specifications

BOM	Description
BOM	2115C07U
Specifications	Description
Application	Outdoor
Dimensions	136mmx127mmx63.6mm
Weight	0.77kg (with 3 hoops)
Maximum load-bearing capacity	15kg
Material	Galvanized steel plate
Adijustable range	Hoop diameter: 100 to 300mm, adjustable (slightly larger than pole diameter)
Compatible product	2D bracket, 3D bracket, box camera mount bracket, horizontal or vertical pole for illuminator mount

1



Dimensions



Ordering Info

Product Model	Description
TR-UP0627	Universal Extended Pole Bracket, with 3 adjustable hoops and suitable screws

Zhejiang Uniview Technologies Co., Ltd.

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China

Email: overse as business@uniview.com; global support@uniview.com

http://www.uniview.com

©2024 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.

*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.

